Package No.: Package No.: Package Provision of Passengar Convenience Facilities including Furniture and Interior in 13 launch ghat at Bhairab, Alubazar, Hizla, Lahathat, Ilisha (Bhola), Monpura, Beduria (Banker Hat), Daulatkhan, Tojumuddin, Moju Chowdhury, Motirhat, Boddarhat & Tomuruddin.

e-Tender Submission Letter (Form e-PG3 1)

Name:

| Г | | | | |
|---|---|--|--|--|
| ı | | | | |
| ı | • | | | |
| ı | | | | |
| - | | | | |

| • | | | |
|-------|--|--|--|
| | | | |
| | | | |
| Table | | | |

Description

Tenderer's Response

We, the undersigned, offer to supply the Goods and related Services in conformity with the Conditions of Contract and associated Contract documents and e-TD. In signing this letter in the form of e-Signature/Digital Signature (by clicking on a Final Submission button, Tenderer is signing this e-Tender submission document), and in submission of our e-Tender, we also confirm that: a) Our Tender shall be valid for the period stated in the Tender Data Sheet and it shall remain binding upon us and may be accepted at any time before the expiration of that period. b) If our Tender is accepted, we commit to furnishing a Performance Security in the amount stated in the Tender Data Sheet in the form stated in Tender Data Sheet and valid for a period of 28 days beyond the date of completion of our performance obligations. c) We have examined and have no reservations to the e-TD including Addendum issued in accordance with the instructions to Tenderer. d) We, declare that we are not associated, nor have been associated in the past, directly or indirectly, with a consultant or any other entity that has prepared the design, specifications and other documents. e) We, including any manufacturer or subcontractor for any part of the contract have or will have nationalities from eligible countries, in accordance with ITT 5.1. f) We, our affiliates or subsidiaries, including any of our manufacturer or subcontractors for any part of the contract, have not been declared ineligible by the Government of Bangladesh or the Development Partner, under the laws of Bangladesh or official regulations or by an act of compliance with a decision of the United Nations Security Council on charges of engaging in corrupt, fraudulent, collusive, coercive or obstructive practices in accordance with ITT subclause 5.7. g) Furthermore, we are aware of ITT concerning such practices and pledge not to indulge in such practices in competing for or in executing the Contract. h) We, confirm that we do not have a record of poor performance as stated in ITT sub-clause 5.8, and that we do not have, or have had, any litigation against us, other than that stated in the Tenderer Information (e-PG3-2) i) We, confirm that we do not have a record of insolvency, receivership, bankrupt or being wound up, our business activities were not been suspended, and it was not been the subject of legal proceedings in accordance with ITT sub-clause 5.9. j) We, confirm that we have fulfilled our obligations to pay taxes and social security contributions applicable under the relevant national laws and regulations of Bangladesh in accordance with ITT sub-clause 5.10 k) We, including any manufacturer or subcontractor for any part of the contract, do not have any conflict of interest in accordance with ITT subclause 5.6. I) We understand that your Notification of Award through e-GP system shall become a binding Contract between us, until a formal Contract is prepared and executed. m) We understand that you reserve the right to accept or reject any Tender, to cancel the Tender proceedings, or to reject all Tenders, without incurring any liability to Tenderers., n) The total price of our Tender is mentioned in the summary of Price Schedules as auto generated by the e-GP system

Attachment 1:

Scanned copy of written confirmation authorising the above signatory to submit the Tenderer, in accordance with ITT Sub-Clause 35.4.

Tenderer Information Form (e-PG3-2)

Tenderer's profile information will come from the e-GP System.

A. Individual Tenderers

Table

Name: 1. Litigation History:

Litigation history shall comply with the requirement as specified in ITT 16.1(b)

Description (to be filled by Tenderer)

| Table Name: 2. Qualification Information of the Tenderer: | |
|--|------------------------|
| Description | Tenderer's Response |
| 2.1 Number of years of general experience of the Tenderer in the supply of goods and related services as stated under ITT Sub-Clause15.1(a): | |
| 2.2 Number of completed supply contracts in the supply of similar goods and related services of required value within the period as stated under ITT Sub-Clause 15.1(b): a) Number of Contracts: | |
| b) Value of the Contracts: | |
| c) Period of the Contract: | |
| 2.3 The supply and/or production capacity of Goods, if applicable, as stated under ITT Sub-Clause 15.1.(c) | |
| 2.4 Availability of liquid assets i.e. working capital or credit line(s) from any Scheduled Bank, net of other contractual commitments as stated under ITT Clause 16.1(b) | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4)

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

Keep the same Item no. in price schedule and technical specification form.

| Table Name: | | | | | | | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|--|--|--|--|--|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered | | | | | |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and | Inspected by technical committee member | | | | | | | | |

| 2 | Swivel Chair | back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. "Swivel Chair: Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm. | Inspected by technical committee member | | |
|---|-----------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK origin one of the largest producer of wood coating.? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper.? Door are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm. | Inspected by technical committee member | | |

| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
|----|-----------------------|---|---|--|--|
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Center Table | Center Table:Made from Kilndried imported beech veneered engineered wood.High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish.Size L900XW600X H370mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Full COLOUR bullet CC | "High quality Full COLOUR bullet Camera with Audio | Inspected by | | |

| | Camera Audio | Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution: Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional, Brand/Moded: To be specified by the bidder." | technical committee member | | |
|----|---------------------------|--|---|--|--|
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 13 | Power Adapter | As per required | Inspected by technical committee member | | |
| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |

| 20 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | | | |
|----|---|-----------------|---|--|--|--|--|
|----|---|-----------------|---|--|--|--|--|

Price and Delivery Schedule for Goods (Form e-PG3-3A)

| Tabl Nam | | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Alubazar | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 4 | 2 seated Sofa | Each | 5 | Launch Ghat Alubazar | 120 | | | | | |
| 5 | Corner Table | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 6 | Center Table | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Alubazar | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Alubazar | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Alubazar | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Alubazar | 120 | | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Alubazar | 120 | | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Alubazar | 120 | | | | | |
| 14 | Balun Connector | Each | 1 | Launch Ghat Alubazar | 120 | | | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Alubazar | 120 | | | | | |

| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Alubazar | 120 | | | |
|----|---|------|---|----------------------------|-----|--|------------------|--|
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Alubazar | 120 | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Alubazar | 120 | | | |
| 19 | File Cabinet | Each | 5 | Launch Ghat Alubazar | 120 | | | |
| 20 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Alubazar | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

| Table Nam | able lame : | | | | | | | | | | | |
|--------------------|-------------------------|----------------------------|-----------------|-------------------------------|--|--------------------------------|--------------------------------------|--|---|--|--|--|
| Item No. (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Completion (5) | Completion Period (in days) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | | | |
| 1 | Related Service | ls | 1 | NA | 120 | | | | | | | |
| | | | | | | | | Grand Total : | | | | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Laharhat

| Tabl Nam | | | | | | | | | | |
|-------------------|-------------------------------|----------------------------|-----------------|-----------------------------|---|-------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Laharhat | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Laharhat | 120 | | | | | |
| 3 | Double Sofa | Each | 4 | Launch Ghat Laharhat | 120 | | | | | |

| 4 | Center Table | Each | 2 | Launch | 120 | | | | |
|-----|---------------------------|-------|----|------------------|-----|----------|----------|------------------|--|
| | | | | Ghat Laharhat | | | | | |
| 5 | Corner Table | Each | 2 | Launch | 120 | | | | |
| | | | | Ghat Laharhat | | | | | |
| 6 | Handle Chair | Each | 10 | Launch | 120 | | | | |
| O | Hariule Chair | Each | 10 | Ghat | 120 | | | | |
| | | | | Laharhat | | | | | |
| 7 | Executive | Each | 2 | Launch | 120 | | | | |
| | Table | | | Ghat Laharhat | | | | | |
| 0 | Lanton | □ b | 2 | | 120 | | | | |
| 8 | Laptop | Each | 2 | Launch Ghat | 120 | | | | |
| | | | | Laharhat | | | | | |
| 9 | Desktop | Each | 2 | Launch | 120 | | | | |
| | Computer | | | Ghat Laharhat | | | | | |
| 4.0 | 5.4 | | | | 400 | | | | |
| 10 | Printer | Each | 4 | Launch Ghat | 120 | | | | |
| | | | | Laharhat | | | | | |
| 11 | Full COLOUR | Each | 4 | Launch | 120 | | | | |
| | bullet CC | | | Ghat | | | | | |
| | Camera Audio | | | Laharhat | | | | | |
| 12 | XVR 8 Channel | Each | 1 | Launch Ghat | 120 | | | | |
| | Onarrier | | | Laharhat | | | | | |
| 13 | HDD 4 TB | Each | 1 | Launch | 120 | | | | |
| | Toshiba | | | Ghat | | | | | |
| | | | | Laharhat | | | | | |
| 14 | Power Adapter | Each | 1 | Launch Ghat | 120 | | | | |
| | Adapter | | | Laharhat | | | | | |
| 15 | Balun | Each | 1 | Launch | 120 | | | | |
| | Connector | | | Ghat | | | | | |
| | | | | Laharhat | | | | | |
| 16 | Catg Cable Full Copper | Meter | 50 | Launch Ghat | 120 | | | | |
| | Full Coppei | | | Laharhat | | | | | |
| 17 | 32 inch Led | Each | 1 | Launch | 120 | | | | |
| | Monitor | | | Ghat | | | | | |
| | | | | Laharhat | | | | | |
| 18 | Accessories of CC TV | Each | 1 | Launch Ghat | 120 | | | | |
| | or CC TV | | | Laharhat | | | | | |
| 19 | Installation | Each | 1 | Launch | 120 | | | | |
| | Charge | | | Ghat | | <u> </u> | | | |
| | | | | Laharhat | | | <u> </u> | | |
| 20 | File Cabinet | Each | 5 | Launch | 120 | | | | |
| | | | | Ghat Laharhat | | | | | |
| 21 | Guest Bed | Each | 4 | Launch | 120 | | | | |
| | | | | Ghat | | | | | |
| | | | | Laharhat | | | | | |
| 22 | Matress of | Each | 4 | Launch | 120 | | | | |
| | Bed | | | Ghat Laharhat | | | | | |
| 23 | Installation, | Ls | 1 | Launch | 120 | | | | |
| | fitting fixing | | | Ghat | | <u> </u> | | | |
| | commissioning and others | | | Laharhat | | | | | |
| | and others associated | | | | | | | | |
| I | works | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Bhairab

| Tabl Nam | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Bhairab | 120 | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Bhairab | 120 | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Bhairab | 120 | | | | |
| 4 | 2 seated Sofa | Each | 4 | Launch Ghat Bhairab | 120 | | | | |
| 5 | Handle Chair | Each | 25 | Launch Ghat Bhairab | 120 | | | | |
| 6 | 2 seated Sofa | Each | 8 | Launch Ghat Bhairab | 120 | | | | |
| 7 | Executive Table | Each | 5 | Launch Ghat Bhairab | 120 | | | | |
| 8 | Center Table | Each | 3 | Launch Ghat Bhairab | 120 | | | | |
| 9 | Corner Table | Each | 4 | Launch Ghat Bhairab | 120 | | | | |
| 10 | Laptop | Each | 2 | Launch Ghat Bhairab | 120 | | | | |
| 11 | Desktop Computer | Each | 2 | Launch Ghat Bhairab | 120 | | | | |
| 12 | Printer | Each | 4 | Launch Ghat Bhairab | 120 | | | | |
| 13 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Bhairab | 120 | | | | |
| 14 | XVR 8 Channel | Each | 1 | Launch Ghat Bhairab | 120 | | | | |
| 15 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Bhairab | 120 | | | | |
| 16 | Power Adapter | Each | 1 | Launch Ghat Bhairab | 120 | | | | |

| 17 | Balun Connector | Each | 1 | Launch Ghat Bhairab | 120 | | | |
|----|--|-------|----|---------------------------|-----|--|------------------|--|
| 18 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Bhairab | 120 | | | |
| 19 | 32 inch Led Monitor | Each | 1 | Launch Ghat Bhairab | 120 | | | |
| 20 | Accessories of CC TV | Each | 1 | Launch Ghat Bhairab | 120 | | | |
| 21 | Installation Charge | Each | 1 | Launch Ghat Bhairab | 120 | | | |
| 22 | File Cabinet | Each | 8 | Launch Ghat Bhairab | 120 | | | |
| 23 | Installation, fitting fixing commissioning and others associated works. | Ls | 1 | Launch Ghat Bhairab | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Hijla

| Tabl Nam | - | | | | | | | | | |
|-------------------|-------------------------|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Hijla | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Hijla | 120 | | | | | |
| 3 | Double Seated Sofa | Each | 5 | Launch Ghat Hijla | 120 | | | | | |
| 4 | Center Table | Each | 2 | Launch Ghat Hijla | 120 | | | | | |
| 5 | Corner Table | Each | 1 | Launch Ghat Hijla | 120 | | | | | |
| 6 | Handle Chair | Each | 12 | Launch Ghat Hijla | 120 | | | | | |
| 7 | Executive Table | Each | 2 | Launch Ghat Hijla | 120 | | | | | |
| 8 | Laptop | Each | 2 | Launch | 120 | | | | | |

| | | | | Ghat Hijla | | L | | |
|----|---|-------|----|-------------------------|-----|---------|------------------|--|
| 9 | Desktop Computer | Each | 2 | Launch Ghat Hijla | 120 | | | |
| 10 | Printer | Each | 4 | Launch Ghat Hijla | 120 | | | |
| 11 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Hijla | 120 | | | |
| 12 | XVR 8 Channel | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 13 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 14 | Power Adapter | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 15 | Balun Connector | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 16 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Hijla | 120 | | | |
| 17 | 32inch LED Monitor | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 18 | Accessories of CC TV | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 19 | Installation Charge | Each | 1 | Launch Ghat Hijla | 120 | | | |
| 20 | File Cabinet | Each | 3 | Launch Ghat Hijla | 120 | | | |
| 21 | Guest Bed | Each | 4 | Launch Ghat Hijla | 120 | | | |
| 22 | Matress of Bed | Each | 4 | Launch Ghat Hijla | 120 | | | |
| 23 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Hijla | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Ilisha

| T | Table Nam | e : | | | | | | | |
|-----|--------------|-------------|-------------|----|--------------------|---------|----------------------|---------------|----------------|
| 14. | Δm | Description | Massurament | Po | Delivery Period | Country | Unit Price in Figure | Unit Price | Total Price |

| No (1) | of Item (2) | Unit (3) | Quantity (4) | Delivery (5) | (in days) (Note:1) (6) | of Origin (7) | (BDT) (8) | in Words (BDT) (9) | in Figure (BDT) (10) | in Words (BDT) (11) |
|-----------|--|----------|-----------------|--------------------------|---------------------------------|---------------------|--------------|-----------------------------|-------------------------------|------------------------------|
| 1 | Handle Chair | Each | 10 | Launch Ghat Ilisha | 120 | | | | | |
| 2 | Swivel Chair | Each | 3 | Launch Ghat Ilisha | 120 | | | | | |
| 3 | Executive Table | Each | 3 | Launch Ghat Ilisha | 120 | | | | | |
| 4 | 2 Seated Sofa | Each | 5 | Launch Ghat Ilisha | 120 | | | | | |
| 5 | Center Table | Each | 2 | Launch Ghat Ilisha | 120 | | | | | |
| 6 | Corner Table | Each | 3 | Launch Ghat Ilisha | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Ilisha | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Ilisha | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Ilisha | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Ilisha | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 14 | Balun Connector | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Ilisha | 120 | | | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Ilisha | 120 | | | | | |
| 19 | File Cabinet | Each | 5 | Launch Ghat Ilisha | 120 | | | | | |
| 20 | Guest Bed | Each | 4 | Launch Ghat Ilisha | 120 | | | | | |
| 21 | Matress of | Each | 4 | Launch | 120 | | | | | |

| | Bed | | | Ghat Ilisha | | | | |
|----|---|----|---|--------------------------|-----|--|------------------|--|
| 22 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Ilisha | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Bankerhat

| Tabl Nam | | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|---|---|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Bankerhat | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 4 | 2 Seated Sofa | Each | 5 | Launch Ghat Bankerhat | 120 | | | | | |
| 5 | Center Table | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 6 | Corner Table | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Bankerhat | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Bankerhat | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Bankerhat | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Bankerhat | 120 | | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Bankerhat | 120 | | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat | 120 | | | | | |

| | | | | Bankerhat | | | | |
|----|---|-------|----|-----------------------------|-----|--|------------------|--|
| 14 | Balun Connector | Each | 1 | Launch Ghat Bankerhat | 120 | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Bankerhat | 120 | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Bankerhat | 120 | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Bankerhat | 120 | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Bankerhat | 120 | | | |
| 19 | File Cabinet | Each | 6 | Launch Ghat Bankerhat | 120 | | | |
| 20 | Guest Bed | Each | 4 | Launch Ghat Bankerhat | 120 | | | |
| 21 | Matress of Bed | Each | 4 | Launch Ghat Bankerhat | 120 | | | |
| 22 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Bankerhat | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Daluatkhan

| Tabl Nam | | | | | | | | | |
|-------------------|-------------------------------|----------------------------|-----------------|------------------------------|---|--------------------------------|--------------------------------------|--|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Daluatkhan | 120 | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Daluatkhan | 120 | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Daluatkhan | 120 | | | | |
| 4 | 2 Seated Sofa | Each | 5 | Launch Ghat Daluatkhan | 120 | | | | |
| 5 | Center Table | Each | 2 | Launch Ghat Daluatkhan | 120 | | | | |

| 6 | Corner Table | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
|----|---|-------|----|------------------------------|-----|--|------------------|--|
| 7 | Laptop | Each | 2 | Launch Ghat Daluatkhan | 120 | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Daluatkhan | 120 | | | |
| 9 | Printer | Each | 4 | Launch Ghat Daluatkhan | 120 | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Daluatkhan | 120 | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 14 | Balun Connector | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Daluatkhan | 120 | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Daluatkhan | 120 | | | |
| 19 | File Cabinet | Each | 6 | Launch Ghat Daluatkhan | 120 | | | |
| 20 | Guest Bed | Each | 4 | Launch Ghat Daluatkhan | 120 | | | |
| 21 | Matress of Bed | Each | 4 | Launch Ghat Daluatkhan | 120 | | | |
| 22 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Daluatkhan | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Monpura

| Note 1: Delivery period | d starts from the | date of contr | act signing. |
|-------------------------|-------------------|---------------|--------------|
|-------------------------|-------------------|---------------|--------------|

Name:

| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Words (BDT) (11) |
|-------------------|--|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|--|
| 1 | Handle Chair | Each | 10 | Launch Ghat Monpura | 120 | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Monpura | 120 | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Monpura | 120 | | | | |
| 4 | 2 Seated Sofa | Each | 5 | Launch Ghat Monpura | 120 | | | | |
| 5 | Center Table | Each | 2 | Launch Ghat Monpura | 120 | | | | |
| 6 | Corner Table | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Monpura | 120 | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Monpura | 120 | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Monpura | 120 | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Monpura | 120 | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 14 | Balun Connector | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Monpura | 120 | | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Monpura | 120 | | | | |
| 19 | File Cabinet | Each | 3 | Launch Ghat Monpura | 120 | | | | |

| 20 | Guest Bed | Each | 4 | Launch Ghat Monpura | 120 | | | |
|----|---|------|---|---------------------------|-----|--|------------------|--|
| 21 | Matress of Bed | Each | 4 | Launch Ghat Monpura | 120 | | | |
| 22 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Monpura | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Tojumuddin

| Tabl Nam | | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|------------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Tojumuddin | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Tojumuddin | 120 | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Tojumuddin | 120 | | | | | |
| 4 | 2 Seated Sofa | Each | 5 | Launch Ghat Tojumuddin | 120 | | | | | |
| 5 | Center Table | Each | 2 | Launch Ghat Tojumuddin | 120 | | | | | |
| 6 | Corner Table | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Tojumuddin | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Tojumuddin | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Tojumuddin | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Tojumuddin | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 12 | HDD 4 TB | Each | 1 | Launch | 120 | | | | | |

| | Toshiba | | | Ghat Tojumuddin | | L | | | | |
|----|---|-------|----|------------------------------|-----|---|--|------------------|--|--|
| 13 | Power Adapter | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 14 | Balun Connector | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Tojumuddin | 120 | | | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| 19 | File Cabinet | Each | 6 | Launch Ghat Tojumuddin | 120 | | | | | |
| 20 | Guest Bed | Each | 5 | Launch Ghat Tojumuddin | 120 | | | | | |
| 21 | Matress of Bed | Each | 5 | Launch Ghat Tojumuddin | 120 | | | | | |
| 22 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Tojumuddin | 120 | | | | | |
| | | | | | | | | Grand Total : | | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Boddarhat

| | Table Name: | | | | | | | | | | | |
|-------------------|-------------------------------|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|---|--|--|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) | | |
| 1 | Handle Chair | Each | 10 | Launch Ghat Boddarhat | 120 | | | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Boddarhat | 120 | | | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Boddarhat | 120 | | | | | | | |
| 4 | 2 seated Sofa | Each | 5 | Launch Ghat | 120 | | | | | | | |

| | | | | Boddarhat | | | | |
|----|---|-------|----|-----------------------------|-----|--|------------------|--|
| 5 | Corner Table | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 6 | Handle Chair | Each | 10 | Launch Ghat Boddarhat | 120 | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Boddarhat | 120 | | | |
| 8 | Printer | Each | 2 | Launch Ghat Boddarhat | 120 | | | |
| 9 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Boddarhat | 120 | | | |
| 10 | XVR 8 Channel | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 11 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 12 | Power Adapter | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 13 | Balun Connector | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 14 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Boddarhat | 120 | | | |
| 15 | 32 inch Led Monitor | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 16 | Accessories of CC TV | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 17 | Installation Charge | Each | 1 | Launch Ghat Boddarhat | 120 | | | |
| 18 | Handle Chair | Each | 10 | Launch Ghat Boddarhat | 120 | | | |
| 19 | Guest Bed | Each | 5 | Launch Ghat Boddarhat | 120 | | | |
| 20 | Matress Bed | Each | 4 | Launch Ghat Boddarhat | 120 | | | |
| 21 | Group Chair | Each | 10 | Launch Ghat Boddarhat | 120 | | | |
| 22 | File Cabinet | Each | 5 | Launch Ghat Boddarhat | 120 | | | |
| 23 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Boddarhat | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Motir Hat

| Tabl Nam | | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|--------------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Motir Hat | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Motir Hat | 120 | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Motir Hat | 120 | | | | | |
| 4 | 2 seated Sofa | Each | 5 | Launch Ghat Motir Hat | 120 | | | | | |
| 5 | Corner Table | Each | 2 | Launch Ghat Motir Hat | 120 | | | | | |
| 6 | Handle Chair | Each | 8 | Launch Ghat Motir Hat | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Motir Hat | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Motir Hat | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Motir Hat | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Motir Hat | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Motir Hat | 120 | | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Motir Hat | 120 | | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Motir | 120 | | | | | |

| | | | | Hat | | | | |
|----|---|-------|----|--------------------------------|-----|--|------------------|--|
| 14 | Balun Connector | Each | 1 | Launch Ghat Motir Hat | 120 | | | |
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Motir Hat | 120 | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Motir Hat | 120 | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Motir Hat | 120 | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Motir Hat | 120 | | | |
| 19 | Handle Chair | Each | 8 | Launch Ghat Motir Hat | 120 | | | |
| 20 | Guest Bed | Each | 4 | Launch Ghat Motir Hat | 120 | | | |
| 21 | Matress Bed | Each | 4 | Launch Ghat Motir Hat | 120 | | | |
| 22 | Group Chair | Each | 10 | Launch Ghat Motir Hat | 120 | | | |
| 23 | File Cabinet | Each | 5 | Launch Ghat Motir Hat | 120 | | | |
| 24 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Motir Hat | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Tomuruddin

| Tabl Nam | | | | | | | | | | |
|-------------------|-------------------------------|----------------------------|-----------------|-----------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |

| 1 | Handle Chair | Each | 10 | Launch Ghat Tomuruddin | 120 | | | |
|----|--|-------|----|------------------------------|-----|--|--|--|
| 2 | Swivel Chair | Each | 2 | Launch Ghat Tomuruddin | 120 | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Tomuruddin | 120 | | | |
| 4 | 2 seated Sofa | Each | 5 | Launch Ghat Tomuruddin | 120 | | | |
| 5 | Corner Table | Each | 2 | Launch Ghat Tomuruddin | 120 | | | |
| 6 | Handle Chair | Each | 8 | Launch Ghat Tomuruddin | 120 | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Tomuruddin | 120 | | | |
| 8 | Printer | Each | 4 | Launch Ghat Tomuruddin | 120 | | | |
| 9 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Tomuruddin | 120 | | | |
| 10 | XVR 8 Channel | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 11 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 12 | Power Adapter | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 13 | Balun Connector | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 14 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Tomuruddin | 120 | | | |
| 15 | 32 inch Led Monitor | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 16 | Accessories of CC TV | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 17 | Installation Charge | Each | 1 | Launch Ghat Tomuruddin | 120 | | | |
| 18 | Handle Chair | Each | 8 | Launch Ghat Tomuruddin | 120 | | | |
| 19 | Guest Bed | Each | 4 | Launch Ghat Tomuruddin | 120 | | | |
| 20 | Matress Bed | Each | 4 | Launch Ghat Tomuruddin | 120 | | | |
| 21 | Group Chair | Each | 10 | Launch Ghat Tomuruddin | 120 | | | |
| 22 | File Cabinet | Each | 5 | Launch Ghat | 120 | | | |

| | | | | Tomuruddin | | | | |
|----|---|----|---|------------------------------|-----|--|------------------|--|
| 23 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Tomuruddin | 120 | | | |
| | | | | | | | Grand Total : | |

Price and Delivery Schedule for Goods (Form e-PG3-3A) LG Moju Chowdhury

| Table Nam | | | | | | | | | | |
|-------------------|--|----------------------------|-----------------|----------------------------------|---|--------------------------------|--------------------------------------|--|---|--|
| Item No (1) | Description of Item (2) | Measurement Unit (3) | Quantity (4) | Point of Delivery (5) | Delivery Period (in days) (Note:1) (6) | Country of Origin (7) | Unit Price in Figure (BDT) (8) | Unit Price in Words (BDT) (9) | Total Price in Figure (BDT) (10) | Total Price in Words (BDT) (11) |
| 1 | Handle Chair | Each | 10 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 2 | Swivel Chair | Each | 2 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 3 | Executive Table | Each | 2 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 4 | 2 seated Sofa | Each | 5 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 5 | Corner Table | Each | 2 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 6 | Handle Chair | Each | 10 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 7 | Laptop | Each | 2 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 8 | Desktop Computer | Each | 2 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 9 | Printer | Each | 4 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 10 | Full COLOUR bullet CC Camera Audio | Each | 4 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 11 | XVR 8 Channel | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 12 | HDD 4 TB Toshiba | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | | | |
| 13 | Power Adapter | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | | | |

| 14 | Balun Connector | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | |
|----|---|-------|----|----------------------------------|-----|--|------------------|--|
| 15 | Catg Cable Full Copper | Meter | 50 | Launch Ghat Moju Chowdhury | 120 | | | |
| 16 | 32 inch Led Monitor | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | |
| 17 | Accessories of CC TV | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | |
| 18 | Installation Charge | Each | 1 | Launch Ghat Moju Chowdhury | 120 | | | |
| 19 | Guest Bed | Each | 4 | Launch Ghat Moju Chowdhury | 120 | | | |
| 20 | Matress Bed | Each | 4 | Launch Ghat Moju Chowdhury | 120 | | | |
| 21 | Group Chair | Each | 10 | Launch Ghat Moju Chowdhury | 120 | | | |
| 22 | File Cabinet | Each | 5 | Launch Ghat Moju Chowdhury | 120 | | | |
| 23 | Installation, fitting fixing commissioning and others associated works | Ls | 1 | Launch Ghat Moju Chowdhury | 120 | | | |
| | | | | | | | Grand Total : | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Laharhat

Notes on Technical Specifications:

Note 1

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

Keep the same Item no. in price schedule and technical specification form.

Table Name: **Full Detailed** Inspection Make, and Technical and/or Country **Detailed Technical** Model or Item Name of tests **Specifications Specification and Standards Brand** of No. Goods required and Origin required (when and test **Standards** applicable) offered place Handle Chair "Handle Chair: Supply fitting Inspected and fixing of fixed type Visitor by chair produce by 30mm dia technical 1.2mm thick cold rolled Mild committee Steel with PVC stopper. 50mm member thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder." "Swivel Chair - Made from 2 Swivel Chair Inspected imported high quality nylon by base High quality fabric technical committee upholstery with soft and durable cushioning. Fabric can member be selected from available options Cutting and bending are done by latest CNC machine with 99.99 accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder." 3 Double Sofa Double Sofa: Supply fitting and Inspected fixing High quality two seated sofa .Made from Kiln-dried technical impoted Beech veneered committee engineered wood. High quality member environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish. Fabric can be dry cleaned. Brand/model: To be specified by the bidder. 4 Center Table Center Table: Made from Kiln-Inspected dried imported beech veneered by engineered wood. High quality technical enviroment friendly ultra violet committee (UV) and Polyurethane member (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900X W600X H370mm.Brand/model: To be specified by the bidder. 5 Corner Table Corner Table : ,Made from Inspected Kiln-dried imported beech by wood and veneered technical engineered wood. High quality committee environment friendly ultra violet member (UV) and potyurethane

| | | (PU)Lacquer in antique finish.It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm.Material and wood finish(Color).Brand/model: To be specified by the bidder. | | | |
|---|-----------------|---|---|--|--|
| 6 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 7 | Executive Table | Office room Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? ◆ 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. Poor are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |

| 8 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
|----|--|---|---|--|--|
| 9 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 10 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 11 | Full COLOUR bullet CC Camera Audio | bullet Camera with Audio | Inspected by technical committee member | | |
| 12 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 13 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 14 | Power Adapter | As per required | Inspected by technical committee member | | |
| 15 | Balun Connector | As per required | Inspected by technical committee member | | |
| 16 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 17 | 32 inch Led Monitor | As per required | Inspected by technical | | |

| | | | committee member | | |
|----|---|--|---|--|--|
| 18 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 19 | Installation Charge | As per required | Inspected by technical committee member | | |
| 20 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board, Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Matress of Bed | Matress for bed: Made of full rebonded foam, feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 23 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Bhairab

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

Keep the same Item no. in price schedule and technical specification form.

| Tabl Nam | | | | | | |
|-------------|--------------------|--|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | "Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair - Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | | |
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm .? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side | Inspected by technical committee member | | | |

| | | thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700 ?Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|---|--------------------|---|---|--|--|
| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa .Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Handle Chair | " Handle Chair Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 6 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa from .Made from Kiln-dried impoted Beech veneered engineered wood.High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish.Fabric can be dry cleaned.Size L1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood | Inspected by technical committee member | | |

| | | Thickness-18mm .? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700 ?Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|----|-----------------------|--|---|--|--|
| 8 | Center Table | Center Table:Made from high quality Kiln-dried imported beech veneered engineered wood. High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish .Size L900XW600XH370mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 9 | Corner Table | Corner Table: Made from Kiln-dried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 11 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive,larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 12 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 13 | Full COLOUR bullet CC | "High quality Full COLOUR bullet Camera with Audio Support, night | Inspected by | | |

| | Camera Audio | vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution: Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | technical committee member | | |
|----|--|--|---|--|--|
| 14 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 15 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 16 | Power Adapter | As per required | Inspected by technical committee member | | |
| 17 | Balun Connector | As per required | Inspected by technical committee member | | |
| 18 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 19 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 20 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 21 | Installation Charge | As per required | Inspected by technical committee member | | |
| 22 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 23 | Installation, fitting fixing commissioning and others associated | As per required | Inspected by technical committee member | | |

| works. | | | | | | |
|--------|--|--|--|--|--|--|
|--------|--|--|--|--|--|--|

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Hijla

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

Keep the same Item no. in price schedule and technical specification form.

| Table Name: | | | | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|--|--|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered | | |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | | | |
| 2 | Swivel Chair | "Swivel Chair: Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 | Inspected by technical committee member | | | | | |

| | | X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder." | | | |
|---|-----------------------|---|---|--|--|
| 3 | Double Seated Sofa | Double seated Sofa: Supply fitting and fixing two seated high quality sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish.Fabric can be dry cleaned. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 4 | Center Table | Center Table: Made from Kilndried imported beech veneered engineered wood. High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900X W600XH370mm Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450X W450X H530 mm. Material and wood finish (Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Handle Chair | "Handle Chair: Supply fitting and fixing of fixed type Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 7 | Executive Table | Office room Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating.? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? | Inspected by technical committee member | | |

| | | Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? ◆ 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm .? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper.? Door are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|----|--|--|---|--|--|
| 8 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 9 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 10 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 11 | Full COLOUR bullet CC Camera Audio | bullet Camera with Audio | Inspected by technical committee member | | |

| 12 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
|----|---------------------------|--|---|--|--|
| 13 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 14 | Power Adapter | As per required | Inspected by technical committee member | | |
| 15 | Balun Connector | As per required | Inspected by technical committee member | | |
| 16 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 17 | 32inch LED Monitor | As per required | Inspected by technical committee member | | |
| 18 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 19 | Installation Charge | As per required | Inspected by technical committee member | | |
| 20 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Guest Bed | Guest Bed: Guset bed made with MFC board, as per image and Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Matress of | Matress for bed : Made of full | Inspected | | |

| | Bed | rebonded foam ,feltand fabric,Code - Hatil Matress arsenal -104.Brand/model: To be specified by the bidder. | by technical committee member | | |
|----|---|--|---|--|--|
| 23 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Ilisha

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Tabl Nam | • | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm .Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair - Made from imported high quality nylon | Inspected by | | | |

| | | base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | technical committee member | | |
|---|------------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? � 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. Poor are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 4 | 2 Seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa .Made from Kiln-dried impoted Beech veneered engineered wood.High quality environment friendly Italian ultra violet (UV)and polyurethane (PU)Lacquer in antique finish.Fabric can be dry cleaned.Size L 1660mm xH1000mm .Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |

| 5 | Center Table | Center Table: Made from Kilndried imported beech veneered engineered wood. High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900XW600XH370mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
|----|---------------------|---|---|--|--|
| 6 | Corner Table | Corner Table :Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | bullet CC | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution: Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | Inspected by technical committee member | | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |

| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
|----|------------------------------|--|---|--|--|
| 13 | Power Adapter | As per required | Inspected by technical committee member | | |
| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board, Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Matress of Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric,Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Installation, fitting fixing | As per required | Inspected by | | |

| commissioning and others associated works | technical committee member | |
|--|----------------------------|--|
|--|----------------------------|--|

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Bankerhat

Notes on Technical Specifications:

Note 1

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Tabl Nam | - | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair: -Made from imported high quality nylon baseHigh quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC | Inspected by technical committee member | | | |

| | | machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH- 590 mm.Brand/model: To be specified by the bidder. | | | |
|---|------------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | committee member | | |
| 4 | 2 Seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa .Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Center Table | Center Table: Made from Kilndried imported beech veneered engineered wood. High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique | Inspected by technical committee member | | |

| | | (Outside) and natural (Inside)finish.Size L900XW600X H370mm.Brand/model: To be specified by the bidder. | | | |
|----|--|---|---|--|--|
| 6 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish (Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Full COLOUR bullet CC Camera Audio | bullet Camera with Audio | Inspected by technical committee member | | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |

| 13 | Power Adapter | As per required | Inspected by technical committee member | | |
|----|---|--|---|--|--|
| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Matress of Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Tabl Nam | - | | | | | |
|-------------|------------------|--|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair: Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 | Inspected by technical committee member | | | |

| | | X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | | | |
|---|------------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760.Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 4 | 2 Seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa .Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Center Table | Center Table: Made from Kilndried imported beech veneered engineered wood. High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900XW600X H370mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |

| | ı. | | | | |
|----|--|---|---|--|--|
| 6 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. Weight 11.00kg. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Full COLOUR bullet CC Camera Audio | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution: Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | Inspected by technical committee member | | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 13 | Power Adapter | As per required | Inspected by technical committee member | | |

| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
|----|---|--|---|--|--|
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Size:2100 X 1460 X 800, MFC BOARD | Inspected by technical committee member | | |
| 21 | Matress of Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Monpura

| Notes on Technical Specifications: |
|------------------------------------|
| Note 1: |

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Tabl Nam | | | | | | |
|-------------|--------------------|--|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ?450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair: Made from imported high quality nylon base. High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | | |
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood | by | | | |

| | | coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm .? Over all Top Thickness-18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700 ?Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|---|---------------------|---|---|--|--|
| 4 | 2 Seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Center Table | Center Table: Made from Kiln-dried imported beech veneered engineered wood. High quality environment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900XW600XH370mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Corner Table | Corner Table:, Made from Kiln-dried imported beech wood and veneered engineered wood. High quality environment friendly and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based | Inspected by technical committee member | | |

| | | processor, Version: Latest, Storage: minimum 240 GB solid state drive,larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. | | |
|----|---------------------------|---|---|--|
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | |
| 10 | bullet CC | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution:Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | Inspected by technical committee member | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | |
| 13 | Power Adapter | As per required | Inspected by technical committee member | |
| 14 | Balun Connector | As per required | Inspected by technical committee member | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS | Inspected by technical committee member | |

| | | channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | | | |
|----|---|--|---|--|--|
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board, Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Matress of Bed | Matress for bed: Made of high quality full rebonded foam, feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Tojumuddin

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Table Name: | | | | | | | |
|-------------|-------------|------------------|--|--|-------------------------|--|---|
| | Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| | 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality | Inspected by | | | |

| | | | Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ?450mm x 460mm, Back ?430mm x 460mm. Brand/model: To be specified by the bidder." | technical committee member | | |
|---|---|-----------------|--|---|--|--|
| 2 | 2 | Swivel Chair | Swivel Chair. Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| | 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coatings in Europe.? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? \$ 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper.? Door are sets on high quality smooth running MS Hinge, Chanlel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X | Inspected by technical committee member | | |

| | | 650mm.Brand/model: To be specified by the bidder. | | | |
|----|--|---|---|--|--|
| 4 | 2 Seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Center Table | Center Table:Made from Kilndried imported beech veneered engineered wood.High quality enviroment friendly ultra violet (UV) and Polyurethane (PU)Lacquer in antique (Outside) and natural (Inside)finish. Size L900XW600 XH370mm .Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish (Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Full COLOUR bullet CC Camera Audio | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution:Minimum 2560 | Inspected by technical committee member | | |

| | | 1440 Lens Type: Minimum 2.8 and 4 mm optional" | | |
|----|---------------------------|--|---|--|
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | |
| 13 | Power Adapter | As per required | Inspected by technical committee member | |
| 14 | Balun Connector | As per required | Inspected by technical committee member | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | |
| 19 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | |
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | |

| | Bed | rebonded foam ,feltand fabric, Brand/model: To be specified by the bidder. | by technical committee member | | |
|----|---|--|---|--|--|
| 22 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Boddarhat

Notes on Technical Specifications:

Note 1

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| | Table Name: | | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|--|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered | |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat? 430mm, & Floor to Back? 770mm. Size: Seat? 450mm x 460mm, Back? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | | |
| 2 | Swivel Chair | Swivel Chair - Made from | Inspected | | | | |

| | | imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | by technical committee member | | |
|---|-----------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm .? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. Prover a poor are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV)and polyurethane (PU)Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. | Inspected by technical committee member | | |

| | | Brand/model: To be specified by the bidder. | | | |
|----|--|---|---|--|--|
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 9 | Full COLOUR bullet CC Camera Audio | bullet Camera with Audio | Inspected by technical committee member | | |
| 10 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 11 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 12 | Power Adapter | As per required | Inspected by technical | | |

| | | | committee member | | |
|----|---------------------------|---|---|--|--|
| 13 | Balun Connector | As per required | Inspected by technical committee member | | |
| 14 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 15 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 16 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 17 | Installation Charge | As per required | Inspected by technical committee member | | |
| 18 | Handle Chair | " Handle Chair Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 19 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board, and Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Matress Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric,.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Group Chair | "Group chair Supply fitting and fixing of high quality Waiting Chair produce by Three wooden seated in one unit. Fixing with mild steel round tube and two mild steel squire tube columns with stoppers. All steel components are chemically de-rusted zinc phosphate coated oven backed electro-static powder paint finished as per design. Size: L 1350 x W 520 x H 710 mm.Brand/model: To be | Inspected by technical committee member | | |

| | | specified by the bidder." | | | |
|----|---|--|---|--|--|
| 22 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 23 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Motir Hat

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Table Name: | | | | | | |
|------------------------|---|--|-------------------------|--|---|--|
| Item Name of No. Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered | |

| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat? 430mm, & Floor to Back? 770mm. Size: Seat? 450mm x 460mm, Back? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
|---|-----------------|--|---|--|--|
| 2 | Swivel Chair | Swivel Chair - Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the | Inspected by technical committee member | | |

| | | drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|---|---------------------|--|---|--|--|
| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from high quality Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Weight 68.00 kgs. Size L 1660 mmxH1000 mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. Weight 11.00kg. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Handle Chair | "Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive, larger, | Inspected by technical committee member | | |

| 9 | Printer | Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print | Inspected by technical committee | | |
|----|---------------------------|--|---|--|--|
| | | volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | member | | |
| 10 | bullet CC | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution:Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | Inspected by technical committee member | | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 13 | Power Adapter | As per required | Inspected by technical committee member | | |
| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | Handle Chair | " Handle Chair Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted | Inspected by technical committee member | | |

| | | on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat? 430mm, & Floor to Back? 770mm. Size: Seat? 450mm x 460mm, Back? 430mm x 460mm. Brand/model: To be specified by the bidder. " | | | |
|----|---|--|---|--|--|
| 20 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Matress Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 22 | Group Chair | "Group chair Supply fitting and fixing of high quality Waiting Chair produce by Three wooden seated in one unit. Fixing with mild steel round tube and two mild steel squire tube columns with stoppers. All steel components are chemically de-rusted zinc phosphate coated oven backed electro-static powder paint finished as per design. Size: L 1350 x W 520 x H 710 mm.Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 23 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 24 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Technical Specifications and Compliance of Goods and related services (Form e-PG3-4) LG Tomuruddin

| Notes on Technical S | pecifications: | | |
|----------------------|----------------|--|--|

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Table Name : | | | | | | |
|--------------|--------------------|--|--|-------------------------|--|---|
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder." | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair - Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | | |
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? | Inspected by technical committee member | | | |

| | | Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating? SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? ❖ 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm .? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper.? Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | | | |
|---|---------------|---|---|--|--|
| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmxH1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 6 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and | Inspected by technical committee member | | |

| | | oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back? 770mm. Size: Seat? 450mm x 460mm, Back? 430mm x 460mm. Brand/model: To be specified by the bidder." | | | |
|----|--|---|---|--|--|
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 9 | Full COLOUR bullet CC Camera Audio | Camera with Audio Support, night | Inspected by technical committee member | | |
| 10 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 11 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |
| 12 | Power Adapter | As per required | Inspected by technical committee member | | |
| 13 | Balun Connector | As per required | Inspected by technical committee member | | |
| 14 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 15 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 16 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 17 | Installation Charge | As per required | Inspected by technical committee member | | |

| 18 | Handle Chair | " Handle Chair Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ?430mm, & Floor to Back ?770mm. Size: Seat ?450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder. " | | | |
|----|---|---|---|--|--|
| 19 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Matress Bed | Matress for bed: Made of high quality full rebonded foam, feltand fabric, Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Group Chair | "Group chair Supply fitting and fixing of high quality Waiting Chair produce by Three wooden seated in one unit. Fixing with mild steel round tube and two mild steel squire tube columns with stoppers. All steel components are chemically de-rusted zinc phosphate coated oven backed electro-static powder paint finished as per design. Size: L 1350 x W 520 x H 710 mm.Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 22 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 23 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |

Notes on Technical Specifications:

Note 1:

[The PE shall follow the Rule 29 of Public Procurement Rule, 2008 while preparing the Technical Specifications of the Goods]

[A set of precise and clear specifications is a prerequisite for Tenderes to respond realistically and competitively to the requirements of the PE. In the context of Competitive Tender, the specifications must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness and economy in procurement be realized, responsiveness of Tenders be ensured, and the subsequent task of Tender evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials]

Note 2:

[The PE must explain in clear terms the exact Technical Specification and any relevant National or International Standards which have to be followed for the manufacture and supply of the goods or related services. Technical Specifications shall specify what inspection and/or tests the PE requires and where they are to be conducted]

Note 3:

| Tabl | e | | | | | |
|-------------|------------------|---|--|-------------------------|--|---|
| Nam | - | | | | | |
| Item No. | Name of Goods | Detailed Technical Specification and Standards required | Inspection and/or tests required and test place | Country of Origin | Make, and Model or Brand (when applicable) | Full Detailed Technical Specifications and Standards offered |
| 1 | Handle Chair | "Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | | |
| 2 | Swivel Chair | Swivel Chair - Made from imported high quality nylon base High quality fabric upholstery with soft and durable cushioning. Fabric can be selected from available options Cutting and bending are done by latest CNC machine with 99.99% accuracy Please refer to images for dimension details Imported high quality hardware fittings Indoor use only SIZE: L-580 X W-620 X SH460-575 X BH-590 mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | | |

| 11- | | | | | |
|-----|-----------------|---|---|--|--|
| 3 | Executive Table | Executive Table: ? Using mature high density solid wood & international quality standard process wood which ensure heavy load bearing capacity.? Termite & Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.? Wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK one of the largest producer of wood coating? Smooth and high glossy gorgeous color state of art sprays lacquer finishing.? Knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.? • 50 mm & 1.2mm thickness round SS tube structure For Top Support With Tig Welding & Polish.? Wood & Plywood Thickness-18mm.? Over all Top Thickness-36mm & top board thickness 18mm.? Pannel & side thick 50mm. Table size:1675 x 830 x 760. Fixed Drawer with Best quality lock and handle use 3 ss nob in to the drawer with PVC stopper Drawer. Central lock system in drawer. Size:400 x 475 x 700? Side Rack (One Drawer, one door, open shelve, one key board tray & one shelve for using CPU) with Best quality lock and handle use in to the drawer & door with PVC stopper. ? Door are sets on high quality smooth running MS Hinge, Chanel, SS Knob & lock System will safeguard your valuable and important documents. Size:1220 X 400 X 650mm.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 4 | 2 seated Sofa | 2 seated Sofa: Supply fitting and fixing two seated sofa. Made from Kiln-dried impoted Beech veneered engineered wood. High quality environment friendly ultra violet (UV) and polyurethane (PU) Lacquer in antique finish. Fabric can be dry cleaned. Size L 1660mmx H1000mm. Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 5 | Corner Table | Corner Table: Made from Kilndried imported beech wood and veneered engineered wood. High quality environment friendly ultra violet (UV) and potyurethane (PU)Lacquer in antique finish. It looks like two pyramids have been turned upside down. Size L450XW450XH530 mm. Material and wood finish(Color). Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |

| 6 | Handle Chair | " Handle Chair: Supply fitting and fixing of fixed type high quality Visitor chair produce by 30mm dia 1.2mm thick cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin seat and back pasted on 12mm ply wood and covered with high quality Rexene upholstery. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish as per design. Height: Floor to Seat ? 430mm, & Floor to Back ? 770mm. Size: Seat ? 450mm x 460mm, Back ? 430mm x 460mm . Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
|----|--|--|---|--|--|
| 7 | Laptop | "Laptop:Processor: Intel Core i7, Gen: Latest RAM: 16GB DDR5 4800MHz, Storage: 1TB M.2 2280 PCIe NVMe SSD Graphics: GeForce RTX 4060 8GB GDDR6, Boost Clock 2010MHz Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 8 | Desktop Computer | "Desktop Computer: Desktop Computer with 27"" LED Monitor and Associated accossories. Device name Wahid Processor: Core i7 Installed RAM: Minimum16GB System type: Minimum 64-bit operating system, x64-based processor, Version: Latest, Storage: minimum 240 GB solid state drive,larger, Video/Graphics: Integrated or discrete graphics processor capable of minimum 1440 X 900 resolution, or better. Brand/model: To be specified by the bidder. " | Inspected by technical committee member | | |
| 9 | Printer | Printer: Image CLASS Wireless Multifunction Printer ,Print, Scan, Copy,Print Speed (A4): Up to 27ppm,Print volume: 500 - 2,500 pages,Print Resolution: Up to 1200 x 1200dpi.Brand/Model: To be specified by the bidder. | Inspected by technical committee member | | |
| 10 | Full COLOUR bullet CC Camera Audio | "High quality Full COLOUR bullet Camera with Audio Support, night vision camera. Sensor: Minimum 4 MP, 1/3"" progressive scan CMOS Camera Resolution: Minimum 2560 • 1440 Lens Type: Minimum 2.8 and 4 mm optional" | Inspected by technical committee member | | |
| 11 | XVR 8 Channel | As per required | Inspected by technical committee member | | |
| 12 | HDD 4 TB Toshiba | As per required | Inspected by technical committee member | | |

| 13 | Power Adapter | As per required | Inspected by technical committee member | | |
|----|---------------------------|--|---|--|--|
| 14 | Balun Connector | As per required | Inspected by technical committee member | | |
| 15 | Catg Cable Full Copper | As per required | Inspected by technical committee member | | |
| 16 | 32 inch Led Monitor | As per required | Inspected by technical committee member | | |
| 17 | Accessories of CC TV | As per required | Inspected by technical committee member | | |
| 18 | Installation Charge | As per required | Inspected by technical committee member | | |
| 19 | Guest Bed | Guest Bed: Guset bed made with high quality MFC board. Bed Size:2100 X 1460 X 800, MFC BOARD.Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 20 | Matress Bed | Matress for bed: Made of high quality full rebonded foam ,feltand fabric,Brand/model: To be specified by the bidder. | Inspected by technical committee member | | |
| 21 | Group Chair | "Group chair Supply fitting and fixing of high quality Waiting Chair produce by Three wooden seated in one unit. Fixing with mild steel round tube and two mild steel squire tube columns with stoppers. All steel components are chemically de-rusted zinc phosphate coated oven backed electro-static powder paint finished as per design. Size: L 1350 x W 520 x H 710 mm.Brand/model: To be specified by the bidder." | Inspected by technical committee member | | |
| 22 | File Cabinet | File Cabinet: Supply fitting and fixing of 4 drawer File Cabinet produce by 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel, PVC Handle, and High quality central locking system. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine etc. Top bit of the file cabinet | Inspected by technical committee member | | |

| | | 32(w) mm. Drawer handle PVC 132x 75 mm. lower bit of cabinet 90 (w)mm. Drawer front 425x 300 mm. Size: 4 Drawer. 480 x 610 x 1400.Brand/model: To be specified by the bidder. | | | |
|----|---|---|---|--|--|
| 23 | Installation, fitting fixing commissioning and others associated works | As per required | Inspected by technical committee member | | |